

Joint Usage of TSUBAME2.5/3.0 Partnership Resource Allocations

TSUBAME Industrial Use -Statistical Information-

TSUBAME is open to academia and industries. Industrial use started in FY2007.

TSUBAME Usage Profile 20.74% 2011 75.63% 23.45% 2012 72.34% 2013 62.01% 15.36% 22.63% 2014 56.25% 24.35% 19.40% 2015 55.40% 24.16% 20.44%

Internal Academia


External Academia

External Industry

66.30%

19.21% 14.23%

2016*



How to Use TSUBAME?

User types	Programs	Remarks column	
Tokyo Tech Students and Professors		All Students have TSUBAME accounts.	
Non-Tokyo Tech Users	Partnership Resource Allocations	Academic and Industrial Use	
	HPCI/JHPCN	Academic and Industrial Use Supported by MEXT	
Industrial Users	Project for Creation of Research Platforms and Sharing of Advanced Research Infrastructure (-2015) HPCI/JHPCN (2016-)	Industrial Use Supported by MEXT	
Foreign Researchers	International Collaboration		
Collaborators with Tokyo Tech Professors	Research Collaboration based on Research Fund or Industrial Contracts		

TSUBAME Services

Menu	Publicity	Price	Remarks
Trial Use	Open	Free	Supported by MEXT
Pay Use	Open	\$0.88/NodeH	
	Closed	\$1.76/NodeH	

Exchange rate is calculated with \$1 = \$113.

Intellectual properties are reserved completely by the users and are not required to be shared with Tokyo Tech. "NodeH" is the unit for pricing. 1 NodeH is equivalent to 1 node for 1 hour.

For example, if you pay \$88, you can use 100 nodes for 1 hour.

For example, if you pay \$88, you can use 100 nodes for 1 hour, or 1 node for 100 hours.

Each node has 2 Intel Xeon processors (28 cores) and 4 NVIDIA Tesla P100 GPUs, with 256GB Memory. "Publicity: Open" requires company name, division, purpose to use and the report of result to be published. "Publicity: Closed" only requires company name to be published.

Distributed Computing for Machine Learning on Large-Scale Image Dataset

Ikuro Sato*, Ryutaro Watanabe*, Hiroki Nishimura**, Akihiro Nomura***, Satoshi Matsuoka*** (*DENSO IT LABORATORY, INC., **DENSO CORPORATION, ***Tokyo Institute of Technology)

(This article is extracted from TSUBAME e-Science Journal Vol 14.)

Intensive researches have been revealing that machine-learning methods known as Deep Neural Networks (DNNs) show great classification capabilities through supervised training on massive datasets. This research aims to quantify a condition that primarily controls classification capabilities, and generate a high-performing ensemble classifier consisting of plural DNN models. As for the training, we used node-distributed machine-learning program that we developed from scratch. As many as 96 GPUs are used to train a single DNN model. Most models are trained during the TSUBAME Grand Challenge, using 1146 GPUs simultaneously at peak, reaching about 1 TFLOPS (single) per GPU in the cost de-rivative parts.







Figure 1. Validation images correctly classified by our model. (a) Unicycle, (b) paddle, (c) bubble.

(a)



Figure 2. Validation images falsely classified by our model. (a) Arabian camel, (b) triceratops.




Figure 3. The relationship between the classification accuracy and the number of training parameters. The blue line indicates the number of training samples.

HPCI Confederation

HPCI: High Performance Computing Infrastructure

- National grid infrastructure for HPC research

Resources

- 11 supercomputers in Japan, including TSUBAME 2.5/3.0
 - 100PB global shared storage to share data

Services

- One-stop sign up to all resources

- Single sign on to all resources using Shibboleth & GSI

Status

- 28 projects and 198 users use

TSUBAME 2.5/3.0 for the HPCI project on FY2017

For more details, please go to booth #219

"Research Organization for Information Science & File Access (Shibboleth) | Toph Storage (HPCI onto) |

"Research Organization for Information Science & Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science & Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science & Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science & Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science & Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science & Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science & Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Research Organization for Information Science | Toph Storage (HPCI onto) |

"Toph Storage (HPC

Technology (RIST)"

GSI-SSH

Web Access (Shibboleth)

File Access (Shibboleth)

GSI-SSH

Web Access (Shibboleth)

File Access (Shibboleth)

GIODAL Shared Storage Storage

JHPCN

JHPCN: Joint Usage/Research Center for Interdisciplinary Large-scale Information Infrastructures

- The Network-Type Research Center aims to contribute to the advancement and permanent development of the academic and research infrastructure of Japan

Resources Provider

- 8 supercomputer centers in Japan, including TSUBAME 2.5/3.0

Call for Proposals of Joint Research Projects

- Approximately 60 research projects in each year, including international & Industry joint research projects

Status

- 11 projects uses TSUBAME 2.5/3.0, and total 46 projects are adopetd as JHPCN projects on FY2017